

Purpose

To ensure that the tractor is safe to operate. This is a tool to assist operators identify small problems before they can become big problems reducing repair costs, loss of asset and downtime.

Ensure the manufacturer's instructions are referred to for specific tractor make/model specifications.

This checklist is non-exhaustive and users are recommended to make the necessary customisation to meet your work place requirements.

Have you completed training to operate this vehicle / equipment / implement? IS THIS THE RIGHT VEHICLE FOR THE JOB TODAY?

Enter P Pass

Enter NR Needs Repair

Tractor N	flake/Model						
Inspection	on Completed by: (sign)						
Date:							
Checks	Required (P or NR)						
TCLOC	TCLOC: Tyres and Wheels, Chassis and Suspension, Lights and Electrics, Oil and Fuel, Cables and Controls						
1	Fuel, Oils and Coolant Levels, Air Flow						
2	 Radiator coolant level No leaks Cap fits Fan belt Hoses – not rubbed, worn, no soft spots Hose clips good condition 						
3	Air Flow – air cleaner in place, clean and intact						
4	Oil – engine and hydraulics Full not milky No leaks						



Checks	Required (P or NR)				•
5	Fuel full, refill each shift				
	No leaks under tractor				
6	No loose or damaged parts				
7	Frame and Loader				
	No cracksBolts intactNo leaks				
8	Windshield wiper working (if applicable), and window clean				
9	Bird nests checks (under bonnet)				
10	Air conditioning working				
11	Seat adjusted and seatbelt in good condition				
12	Seat cut out switch works				
13	Wiring under seat not damaged				
14	Hoses, hydraulic aux in good condition				
Wheels	and Tyres				
15	Check tyres for damage e.g. cuts				
16	Correct pressure				
17	Check tread depth				
18	Check wheel nuts				
19	Water level in tyres				
Batterie	es				
20	Secure				
21	Full				
22	Clean				



Checks	Required (P or NR)				
Brakes					
23	Foot / Hand brakes working correctly				
24	Locked device working for road use				
Lights a	and Switches				
25	Front, tail brake lights working				
26	Turn signals working on towed equipment				
27	Hazards working				
28	Amber beacon working				
29	Indicators working and clean on tractor				
Steering	9				
30	Not loose, connections tight	4			
31	Ball joints – no wobble				
32	Hydraulic hoses in good condition				
33	Power steering fluid level ok				
РТО					
34	Shields / guards in good condition				
35	Securely attached				
36	In place, check shaft sliding joint not too long or short, up and down				
37	Nipples greased including cover				
Throttle	/ Instruments / Gauges			 	
38	Horn working				
39	Hour meter working				
40	Engine temperature gauge working				
41	Oil / battery lights working				



Checks Required (P or NR)							
3 Point Linkage							
42	Pin / bolts in place						
43	Attached or mounted equipment securely fastened						
44	Sway arms properly fastened / adjusted						
45	Clean, operable and lubricated						
46	Pins are used NOT wire						
Trailer	Trailer / Attachments						
47	Trailer pins locked or pinned						
48	All checked and greased						
49	Legal						
Handr	Handrails, Steps, Platform						
50	Clean						
51	Good condition						
52	No loose items						
Fire E	inguisher						
53	Easily accessible and charged						
Legal	Legal Requirements						
54	Registered and legal to WOF standard						
	Repairs Carried Out Date:						
	By:						



